

Notice of Allowability

Application No.

10/664,839

Examiner

James H. Alstrum-Acevedo

Applicant(s)

CLAROT ET AL.

Art Unit

1616

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Applicants' arguments/remarks submitted on May 15, 2006.
2. ☒ The allowed claim(s) is/are 1, 3-22, 24-35.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413), Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


JOHANN RICHTER
SUPERVISORY PATENT EXAMINER
GROUP 1200

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance: the prior art does not suggest or teach an applicator assembly having an elongated stick and an applicator at one end of the stick contained within an elongated container having an enclosed first portion holding the stick, and an enclosed second portion encasing the applicator, wherein the elongated container can be severed to create adjacent open ends of the 1st and 2nd portions, thereby freeing the applicator and a composition having a viscosity greater than about 1,500 centipoise adjacent to the applicator. Applicants' arguments regarding the differences between the claimed applicator assembly and the applicator taught by Seifert et al. were found persuasive, because the prior art applicator was determined to be structurally different than that claimed by the Applicant, upon reconsideration. The principal differences were that (1) the applicator taught in the prior art was not enclosed in such a manner that the composition was oriented adjacent to the applicator and (2) the prior art applicator was not taught as being disclosed by an elongated container having one portion for enclosure of the stick and a second portion for the enclosure of the applicator.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication or earlier communications from the examiner should be directed to James H. Alstrum-Acevedo whose telephone number is (571) 272-5548. The examiner can normally be reached on M-F, 9:00-6:30, with every other Friday off.

Art Unit: 1616

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Johann Richter can be reached on (571) 272-0664. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James H. Alstrum-Acevedo, Ph.D.
Patent Examiner
Technology Center 1600

A handwritten signature in black ink, appearing to read 'Johann Richter', with a large, stylized loop at the beginning.

Johann Richter, Ph. D., Esq.
Supervisory Patent Examiner
Technology Center 1600